
TYRE RANGE

GALAXY



Galaxy, one of Alliance Tire Group (ATG) brands, is specialised in tyres for construction and material handling machines. A preferred choice globally. The Galaxy brand is committed to save costs that could have been inflicted by tough, unforgiving terrains. The tyres are purpose-built, offering outstanding performance, low wear and long service life. Hence, exceptional value for money. Treads such as Galaxy's range of skidsteer and contract utility tyres developed specifically for construction work are a popular choice for leading OEMs and aftermarket users alike and undisputed leader in Skidsteer tyres in the USA.

INTRODUCTION

The Galaxy tyres range includes a portfolio of solutions for industrial and material handling machinery, skidsteers, contract utility vehicles, mining vehicles, OTR and golf & turf. The range consists of 100 application specific patterns and over 700 SKUs' to serve on every sort of terrain.

A Galaxy tyre for every machine and application.



INDEX



PORT & CRANE

5-7

CONSTRUCTION

8-15

MATERIAL HANDLING

16-19

EARTHMOVER

20-25

AGRICULTURE

26-32



PORT & CRANE

RADIAL



TERMINAL MASTER

Size	PR	Type
280/75R22.5	168A8	TL
	172A5	
310/80R22.5*	175A8	TL
315/60R22.5*		



Terminal Tractor



E-4 CONTAINER HANDLER

Size	PR	Type
16.00R25	40	TL



Heavy Duty Forklift



Container Handler



E-4 HARBOR KING

Size	PR	Type
18.00R25	40PR	TL
	214A5	



Reach Stacker

DIAGONAL



E-4 PORT MAX

Size	PR	Type
12.00-24*	20	TL
18.00-25	40	TL
16.00-25*	32	TL
18.00-33	40	TL



Reach Stacker



E-4.5 PORT STAR PLUS

Size	PR	Type
16.00-25*	32	TL
18.00-25	40	TL



Reach Stacker



E-4.5 HM 450E

Size	PR	Type
18.00-25	40	TL
18.00-33	40	TL



Reach Stacker



L-4S HM 400S

Size	PR	Type
16.00-25	32	TL
18.00-25	40	TL



Reach Stacker

DIAGONAL



L-5S

HM 500S

Size	PR	Type
18.00-25	40	TL



Reach Stacker



E-3

HM 300E

Size	PR	Type
14.00-24	28	TL



Heavy Duty Forklift



Container Handler



E-3

HM 350E

Size	PR	Type
12.00-24	20	TT



Heavy Duty Forklift



Container Handler



E-3

SUPER GRIP

Size	PR	Type
18.00-25	40	TL



Rubber Tire Gantry



E-3

SUPER TRAC

Size	PR	Type
14.00-24	28	TT
14.00-24	28	TL
16.00-25	28* & 32	TL
21.00-25	40	TL
21.00-35*	40	TL



Heavy Duty Forklift



Rubber Tire Gantry

A yellow Galaxy Portstar Plus container handler is shown in a port area, lifting a red container. The machine has large, heavy-duty tires and a long boom. The background shows several stacked red containers under a cloudy sky. The word "GALAXY" is visible in red on the boom.

GALAXY

STRENGTH

“ Our machines operate between 7:00a.m. and 22:00 p.m., seven days a week, running back and forward in the port area. Loaded with a 40-foot container and including the weight of the machine itself it is not uncommon that a total weight of 100 tonnes is moved and that is exactly where our Galaxy Portstar Plus proves its value. Since changing to the Galaxy Portstar Plus we did not encounter any downtime due to punctures or blowouts. This of course is an important argument for us to keep operating costs as low as possible. ”



CONSTRUCTION

SOLID



L-2 BEEFY BABY SDS

Size	Rim Width
31x10-20	7.5-20
33x12-20	7.5-20
36x14-20*	-



Skidsteer



L-4S SUPER SMOOTH SDS

Size	Rim Width
31x10-20	7.5-20
33x12-20	7.5-20



Skidsteer



L-5 HULK SDS

Size	Rim Width
30x10-16	6.00-16
33x12-16	8.00-16



Skidsteer

RADIAL



R-4 MULTI TOUGH

Size	PR	Type
340/80R18	136A8	TL
405/70R18	146A8/B	TL
405/70R20	155A2/143B	TL
405/70R24	146A8/B	TL
440/80R24	154A8	TL
500/70R24	157A8	TL
460/70R24	159A8	TL
480/80R26	160A8	TL
440/80R28	156A8	TL
440/80R30	157A8	TL



Backhoe Loader Compact Loader Telehandler



R-1 HIGH LIFT RADIAL

Size	PR	Type
405/70R24IND	152A8	TL
17.5LR24	150A8 & 159A8	TL
500/70R24 IND	164A8	TL



Backhoe Loader Compact Loader Telehandler

DIAGONAL



R-4 BEEFY BABY II

Size	PR	Type
10-16.5	8 & 10	TL
12-16.5	10	TL
14-17.5	10 & 14	TL
10.5/80-18	10	TL
12.5/80-18	10 & 14	TL
15-19.5	14	TL
15-22.5	12 & 20	TL
18-22.5	18	TL



Skidsteer Backhoe Loader Utility Tractor Telehandler Compact Loader Boomlift



R-4 BEEFY BABY III

Size	PR	Type
10-16.5	8 & 10	TL
12-16.5	10 & 12	TL
14-17.5*	10 & 14	TL



Skidsteer Backhoe Loader Compact Loader Boomlift

*Under development

DIAGONAL

**L-5 HULK**

Size	PR	Type
10-16.5	10	TL
12-16.5	12	TL
33X15.50-16.5	14	TL
14-17.5	14	TL
12.5/80-18	14	TL



Skidsteer



Backhoe Loader

**R-4 MUDDY BUDDY**

Size	PR	Type
10-16.5	8	TL
12-16.5	10	TL



Skidsteer

**R-4 MARATHONER**

Size	PR	Type
20x10-10	4	TL
23X8.50-14	6	TL
25X8.50-14	4 & 6	TL
27X8.50-15	6	TL
10-16.5	8	TL
12-16.5	10	TL
14-17.5	6 & 10	TL
12.5/80-18	10	TL
(320/80-18)		
15-19.5	4 & 6 & 12	TL
12.4-20	10	TL
18.4-24	8 & 12*	TL
43x16.00-20	4	TL
19.5L-24	12	TL



Skidsteer



Boomlift



Utility Tractor



Industrial Tractor



Compact Loader



Backhoe Loader

**R-4 SKIDDO**

Size	PR	Type
10-16.5NHS	8	TL
10-16.5*	10	TL
12-16.5NHS	10 & 12	TL



Skidsteer



Utility Tractor



Boomlift

**L-4 JUMBO HULK**

Size	PR	Type
16.9-24	12	TL
19.5L-24	14	TL
21L-24*	16	TL
18.4-26 (480/80-26)	14	TL
16.9-28 (440/80-28)	14	TL
16.9-30	14	TL



Backhoe Loader



Industrial Tractor

**R-4 HIPPO**

Size	PR	Type
27X12.50-15	8	TL
31X15.50-15	8	TL
31.5X13.00-16.5	10	TL
33X15.50-16.5	12	TL



Skidsteer



Forklift

**R-3 MIGHTY MOW**

Size	PR	Type
23X8.50-14	6	TL
27X8.50-15	6	TL
12.4X16	6	TL
10-16.5	8	TL
12-16.5	10 & 12*	TL
33X15.50-16.5	10	TL
14-17.5	6	TL



Boomlift



Skidsteer



Mower



Backhoe Loader



Utility Tractor

**L-4 TRAC STAR ND**

Size	PR	Type
10-16.5	10	TL
12-16.5	12	TL



Skidsteer



Backhoe Loader

DIAGONAL



L-4+ KING KONG

Size	PR	Type
10-16.5	10	TL
12-16.5	12	TL



Skidsteer



R-4, L-2/G-2 GIRAFFE XLW

Size	PR	Type
16.9-28 (440/80-28)	12	TT
13.00-24	14	TL
14.00-24	16	TL
15.5-25	12	TL
17.5-25	16	TL
20.5-25*	16	TL
16.9-28	12	TT



Backhoe Loader



Telehandler



Grader



Loader



F-3/R-1 WORKSTAR

Size	PR	Type
11L-15SL	10	TL
11L-16SL	10 & 12	TL
10.0/75-15.3	10	TL
11.5/80-15.3	12	TL
405/70-20	14	TL
15.5/80-24	12 & 16	TL
18.4-26*	12	TL



Backhoe Loader



Utility Tractor



Telehandler



R-4 SUPER INDUSTRIAL LUG

Size	PR	Type
25X8.50-14	6	TL
320/80-18 IND (12.5/80-18)	116A8 & 134A8	TL
15-19.5	6	TL
400/70-20	144A8	TL
14.9-24	12	TL
16.9-24	8/142A8 & 12	TL
17.5L-24 (460/70-24)	6, 8 & 12	TL
18.4-24	12	TL
19.5L-24	14	TL
18.4-26 (480/80-26)	12	TL
16.9-28 & IND (440/80-28)	152A8	TL
16.9-30	14	TL



Industrial Tractor



Backhoe Loader



Utility Tractor



R-4 XD 2010

Size	PR	Type
23x8.50-12	12	TL
23X8.50-14	6	TL
27X8.50-15NHS	8	TL
27X10.50-15NHS	8	TL
10X16.5	6, 8 & 10	TL
12X16.5	6, 8, 10 & 12	TL
33X15.50-16.5	14	TL
14-17.5NHS	10 & 14	TL
15-19.5NHS	14	TL



Skidsteer



Boomlift



Utility Tractor



Backhoe Loader



L-2/ G-2 GIRAFFE TREAD B

Size	PR	Type
13.00-24	14	TL



Telehandler



Grader



Loader



Compact Loader



R-4 EZ RIDER

Size	PR	Type
14.9-24	12	TL
16.9-24	6 & 12	TL
17.5L-24 (460/70-24)	10	TL
19.5L-24	10 & 12	TL
21L-24	12	TL
16.9-28 (440/80-28)	10 & 12	TL
21L-28	18	TL



Industrial Tractor



Compact Loader



Backhoe Loader



R-1 SUPER HIGH LIFT

Size	PR	Type
15.5/80-24	12 & 16	TL
17.5L-24	12	TL



Backhoe Loader



Compact Loader



Telehandler




Boomlift

*Under development

DIAGONAL

**R-1 INDUSTRIAL**


Size	PR	Type
12.5/80-18 (320/80-18)	14	TL
17.5L-24 (460/70-24)	12	TL



Backhoe Loader Compact Loader Telehandler Industrial Tractor

**R-1 I-3 SUPER TRENCHER**


Size	PR	Type
23X10.50-12	4	TL
26X12.00-12	8	TL
29X12.50-15	8	TL
31X15.50-15	8	TL
38X18.00-20	12	TL



Utility Tractor Compact Loader Boomlift

**G-2 / L-2 MULTI PURPOSE CONSTRUCTION (MPC)**

Size	PR	Type
13.00-24	12	TL
14.00-24	12 & 16	TL
15.5-25	12	TL
17.5-25	16	TL
20.5-25	16	TL
23.5-25	16	TL



Loader Grader Telehandler

**E-2 DIG MASTER**

Size	PR	Type
8.25-20	14	TT
9.00-20	14	TT
10.00-20NHS	16	TT
11.00-20	16	TT



Excavator

**E-2 EX-1**

Size	PR	Type
8.25-20	14	TT
9.00-20	14	TT
10.00-20	16	TT
11.00-20	12	TL
11.00-20	16	TT



Excavator

**F-3 INDUSTRIAL RIB ULTRA**

Size	PR	Type
11L-16	10 & 12	TL



Backhoe Loader

**R-4 MAGNA TRACK**

Size	PR	Type
480/80-26 (18.4-26)	156A8	TL



Backhoe Loader

**F-3 SUPER INDUSTRIAL RIB**

Size	PR	Type
14.5/75-16.1	10	TL
11.00-20	16	TT



Backhoe Loader

DIAGONAL

**I-3 MULTI UTILITY**

Size	PR	Type
9.00-16	16	TT & TL



Backhoe Loader Industrial Tractor Utility Tractor

**F-3 HD CONSTRUCTION**

Size	PR	Type
12.5/80-18 IMP	12	TL
12.5/80-18	16	TL



Backhoe Loader

**C-1 SMOOTH COMPACTOR**

Size	PR	Type
7.50-15	6	TL
7.50-15	12 & 14	TL
13/80-20*	18	TT
11.00-20	18	TT
14/70-20	12 & 20	TL
23.1-26	10	TL



Paver

**C-1 SMOOTH ROLLER**

Size	PR	Type
11.00-20	18	TT



Paver

**R-3 DIAMOND TREAD**

Size	PR	Type
14.9-24	8	TL
18.4-26	12	TL
23.1-26	8 & 16	TL
28L-26	12 & 16	TL
24.5-32	16	TL
715/80-32	20	TL



Paver

**E-7 SUPER PAVER**

Size	PR	Type
14.00-20*	12	TT
21.00-25	28	TL



Paver

**R-3 COMPACTOR**

Size	PR	Type
23.1-26	8 & 12	TL



Paver

**R-3 SUPER COMPACTOR**

Size	PR	Type
23.1-26	8	TL



Paver

DIAGONAL



E-7

SAND RIB

Size	PR	Type
18.00-25	16	TL



Paver

STABILITY


“The tyres I took off their skid steer to replace with the Beefy Baby SDSs looked like they had been through over a cheese grate: it is a matter of fact that standard solid tires wear away on concrete. But Beefy Baby solids are a lot harder: I looked at the Beefy Baby tyres we put on more than a year ago, and though they have some wear on them, they still look ready to tackle any job. I haven't had any problems with the Beefy Baby SDS chipping or delaminating either, which can be a problem with hard rubber. If you're doing dirt work with the Beefy Baby SDS, they will last for a long, long time.”





MATERIAL HANDLING

SOLID



Ind YARDMASTER SDS

Size	Rim Width
15x4 1/2-8 (125/75-8)	3.00D-8
16x6-8 (150/75-8)	4.33R-8
5.00-8	3.00D-8
18x7-8 (180/70-8)	4.33R-8
140/55-9	4.00E-9
6.00-9	4.00E-9
21x8-9 (200/75-9)	6.00E-09
200/50-10	6.50-10
6.50-10	5.00F-10
6.50-10	5.50F-10
23x9-10 (225/75-10)	6.50E-10
7.00-12	5.00S-12
23x10-12	8.00G-12
27x10-12	8.00G-12
7.00-15	5.50-15
7.50-15	5.50-15
7.50-15	6.50-15
8.15-15 (28x9-15)	7.00-15
8.25-15	6.50-15
250-15 (250/70-15)	7.50-15
250-15 (250/70-15)	7.00-15
300-15 (315/70-15)	8.00-15
10.00-20	7.00-20
10.00-20	7.50-20
12.00-20	8.50-20
12.00-20	8.00-20
12.00-24	8.50-20



Ind-1 Ind-3 LIFTOP SDS

Size	Rim Width
5.00-8	3.00D-8
16X6-8 (150/75-8)	4.33R-8
15X4 1/2-8 (125/75-8)	3.00D-8
15X4 1/2-8 (125/75-8)	3.25-8
18x7-8 (180/70-8)	4.33R-8
140/55-9	4.00E-9
6.00-9	4.00E-9
21X8-9 (200/75-9)	6.00-9
6.50-10	5.00F-10
6.50-10	5.50F-10
200/50-10	6.50-10
23X9-10 (225/75-10)	6.50-10
23X9-10 (225/75-10)	6.50E-10
23X10-12	8.00G-12
7.00-12	5.00-12
27X10-12 (250/75-12)	8.00G-12
3.00-15 (315/70-15)	8.00-15
8.15-15(28X9-15) (225/75-15)	7.00-15
8.25-15	6.50-15
2.50-15 (250/70-15)	7.50-15
7.00-15	5.50-15
2.50-15	7.00-15

All sizes are available in (standard heel type/lip type) rims

All sizes are available in (lock ring/standard heel type/lip type) rims



LIFTER SDS

Size	Rim Width
15X4 1/2-8	3.00D-8
5.00-8	3.00D-8
16x6-8	4.33R-8
18x7-8	4.33R-8
140/55-9	4.00E-09
6.00-9	4.00E-09
6.50-10	5.00F-10
200/50-10	6.50F-10
23x9-10	6.50F-10
7.00-12	5.00S-12
8.25-15	6.50-15
28x9-15 (8.15-15)	7.00-15
250-15	7.00-15
300-15	8.00-15
7.00-15	5.50-15
10.00-20	7.50-20
10.00-20*	7.50-20

*Under development

SOLID



Smooth



Lug



Traction

Ind

YM SDS

Rim	Size	(LUG)	(Smooth)	(Traction)
6.5	10x5x61/2	*	✓	*
8	14x41/2x8	*	✓	*
11.25	15x5x111/4	*	✓	*
	161/4x5x111/4	*	✓	✓
	161/4x6x111/4	*	✓	✓
	161/4x7x111/4	*	✓	✓
10.5	16x5x101/2	*	✓	✓
	16x6x101/2	✓	✓	✓
	16x7x101/2	✓	✓	✓
12.125	18x6x121/8	✓	✓	✓
	18x7x121/8	✓	✓	✓
	18x8x121/8	✓	✓	✓
15	21x7x15	✓	✓	✓
	21x8x15	✓	✓	✓
	21x9x15	✓	✓	✓
16	22x12x16	*	*	*
	22x14x16	*	*	*
	22x8x16	*	✓	*
	22x9x16	*	✓	*
22	28x10x22	*	*	*
	28x12x22	*	*	*

Tyres are available in both black and non-marking version



Forklift

RADIAL



Ind

YARDMASTER RADIAL

Size	PR	Type
10.00R20	166A5	TL
12.00R20#	176A5	TL
12.00R24#	178A5	TL

#Limited released



Heavy Duty Forklift

DIAGONAL

Ind-1
Ind-3

YARDMASTER ULTRA IND

Size	PR	Type
4.00-8 NHS	8	TT
5.00-8 NHS	10	TT
18X7-8 NHS	16	TT
6.00-9 NHS	10	TT
21X8-9 NHS	14	TT
6.50-10 NHS	12	TT
23X9-10 NHS	18	TT
27X10-12 NHS	20	TT
7.00-12 NHS	12	TT
7.00-12	12	TT
250-15 NHS	16	TT
7.00-15 NHS	12	TT
7.50-15 NHS	12	TT
7.50-15* NHS	14	TT
8.25-15 NHS	14	TT
28X9-15 NHS	14	TT
300-15 NHS	20	TT
32X12.1-15 NHS	24	TT
7.50-16 NHS	16	TT
9.00-20 NHS	14	TT
10.00-20 NHS	16	TT
12.00-20 NHS	20	TT
12.00-20 NHS	28	TT



Forklift



Heavy Duty Forklift

Ind-1
Ind-3

YARDMASTER

Size	PR	Type
5.00-8 NHS	10	TT
18X7-8 NHS	16	TT
6.00-9 NHS	10	TT
21X8-9 NHS	14	TT
6.50-10 NHS	10	TT
6.50-10 NHS	12	TT
7.00-12 NHS	12	TT
7.00-15 NHS	12	TT
7.50-15 NHS	14	TT
8.15-15 (28X9-15) NHS	14	TT
8.25-15 NHS	14	TT
250-15 NHS	16	TT
300-15 NHS	20	TT



Forklift



Ind-3

BOSSLIFT III

Size	PR	Type
9.00-20	16	TT
10.00-20	16	TT
12.00-20	20/24	TT



Forklift



EARTHMOVER

SOLID



L-5 LHD-500 SDS

Size	Rim Width
14.00-24	10.00 VA-24
14.00-25	10.00-25
17.5-25	14.00-25



Loader

Load Haul
Dumper

L-4S SUPER SMOOTH SDS

Size	Rim Width
16.00-25	11.25-25
20.5-25	17.00-25
23.5-25	19.50-25
26.5-25	22.00-25
29.5-25	25.00-25



Loader

RADIAL



G-2 MGSR 200

Size	PR	Type
14.00R24	153A8	TL
17.5R25	176A2/153A8	TL
20.5R25*		
20.5R25*		



Grader



L-3E-3 LDSR 300

Size	PR	Type
17.5R25	182A2/167B	TL
20.5R25	193A2/177B	TL
23.5R25	201A2/185B	TL
26.5R25	209A2/192B	TL
29.5R25	216A2/200B	TL



Loader



Dump-Truck



E-4L-4 HTSR 400

Size	PR	Type
23.5R25#	185B/201A2	TL
26.5R25#	193B/209A2	TL
29.5R25#	200B/216A2	TL

Limited released



Loader



Dump-Truck

DIAGONAL



L-2 GIANT HIPPO

Size	PR	Type
20.5-25	20	TL
23.5-25	20	TL
26.5-25	20	TL
23.1-26	16	TL



Loader



L-2 MULTI PURPOSE CONSTRUCTION (MPC)

Size	PR	Type
13.00-24	12	TL
14.00-24	12, 16	TL
15.5-25	12	TL
17.5-25	16	TL
20.5-25	16	TL
23.5-25	16	TL




Grader

*Under development

DIAGONAL

**G-2 SUPER MUD & SNOW**

Size	PR	Type
14.00-24	16	TL
17.5-25	16	TL



Grader

Loader

**L-2 GIRAFFE TREAD B**

Size	PR	Type
13.00-24	14	TL
14.00-24*	12	TL



Grader

Loader

**E-3/ L-3 EXR 300**

Size	PR	Type
14.00-24	28	TT, TL
14.00-25	20	TT
15.5-25	12	TL
17.5-25	16, 20, 24	TL
20.5-25	16, 20	TL
23.5-25	20, 28	TL
26.5-25	28	TL
29.5-25	28	TL



Grader

Loader

Dump-Truck

**E-3 SUPER TRAC**

Size	PR	Type
14.00-24	28	TT, TL
16.00-25	32	TL



Dump-Truck

**R-4, L-2G-2 GIRAFFE XLW**

Size	PR	Type
16.9-28	12	TT
13.00-24	14	TL
14.00-24	14, 16	TL
15.5-25	12	TL
17.5-25	16	TL
20.5-25*	16	



Grader

Loader

**I-2 ROCK MINE LUG+**

Size	PR	Type
10.00-20	18	TT
11.00-20	18	TT
12.00-24	20	TT



Tipper

**E-3/ L-3 PREMIUM ROCK LUG**

Size	PR	Type
17.5-25	16, 20	TL
20.5-25	16, 20 & 24	TL
23.5-25	16, 20, 24 & 28	TL
26.5-25	20, 26, 28 & 36	TL
29.5-25	28	TL
29.5-29	28	TL



Loader

Dump-Truck

**E-3/ L-3 SUPER GRIP**

Size	PR	Type
18.00-25	40	TL



Dump-Truck

DIAGONAL

**E-4 DOUBLE WIDTH LUG**

Size	PR	Type
9.00-20	18	TT
12.00-20	28	TT
12.00-24	24	TT
14.00-24	28	TT



Dump-Truck

**E-4/L-4 ROCK MAX**

Size	PR	Type
12.00-24	20	TT
18.00-25	32 & 40	TL
18.00-33	40	TL
24.00-35	48	TL



Dump-Truck

**L-6S TRASHMASTER**

Size	PR	Type
26.5-25	28	TL
35/65-33	42	TL



Loader

**L-6 SUPER SEVERE MINE DWL**

Size	PR	Type
9.00-20	18	TL
12.00-20	28	TT



Loader

Articulated
Dump TruckRubber Tire
Gantry**L-5 LHD-500**

Size	PR	Type
17.5-25	20	TL
20.5-25	20	TL
23.5-25	20	TL



Loader

Articulated
Dump TruckRubber Tire
Gantry**L-5 LHD-500 A**

Size	PR	Type
26.5-25*	26	TL
29.5-25*	28	TL
35/65-33	42	TL



Loader

Articulated
Dump TruckRubber Tire
Gantry**L-5S SUPER SEVERE MINE SLICK**

Size	PR	Type
12.00-20	20	TT
17.5-25	28	TL
18.00-25	32	TL
20.5-25*	20	TL
23.5-25	24	TL
26.5-25	32	TL
29.5-25	40	TL
35/65-33	42	TL



Loader

Articulated
Dump TruckRubber Tire
Gantry**L-4/L-5 KING OF COAL**

Size	PR	Type
8.25-15	12	TT
35X15-15	32	TL
35X15-16	32	TL



Loader

Articulated
Dump TruckRubber Tire
Gantry

DIAGONAL



E-3 **ROCK MINE LUG**

Size	PR	Type
9.00-20	14 & 16	TT
10.00-20	18	TT
12.00-20	24	TT



Dump-Truck



Articulated
Dump Truck



Rubber Tire
Gantry

AGILITY

“ I’m not changing tyres half as much as I used to. The Giraffes are lasting a lot longer. With the angular bars on the Giraffe it gives them traction. It’ll do asphalt material and still be able to throw mud out of the tyre. I’ve had machines come in with mud over the axles. I know they’ve buried these machines in the mud and they’ve been able to get them out. ”





AGRICULTURE

RADIAL



R-1W

EARTHPRO 850

Size	PR	Type
280/85R20	112A8/112B	TL
320/85R20	119A8/119B	TL
250/85R24	109A8/109B	TL
280/85R24	115A8/115B	TL
320/85R24	122A8/122B	TL
340/85R24	125A8/125B	TL
380/85R24	131A8/131B	TL
420/85R24	137A8/137B	TL
280/85R28	118A8/118B	TL
320/85R28	124A8/124B	TL
380/85R28	133A8/133B	TL
420/85R28	139A8/139B	TL
340/85R28	127A8/127B	TL
460/85R30	145A8/145B	TL
380/85R30	135A8/135B	TL
420/85R30	140A8/140B	TL
420/90R30	147A8/147B	TL
420/90R30	142A8/142B	TL
320/85R32	126A8/126B	TL
420/85R34	142A8/142B	TL
460/85R34	147A8/147B	TL
380/85R34	137A8/137B	TL
320/85R36	128A8/128B	TL
340/85R36	132A8/132B	TL
340/85R38	133A8/133B	TL
420/85R38	144A8/144B	TL
460/85R38	149A8/149B	TL
520/85R38	155A8/155B	TL
320/85R38	143A8/143B	TL
380/80R38	142A8/142B	TL
480/80R42	151A8/151B	TL
520/85R42	157A8/157B	TL
320/80R42	141A8/141B	TL
320/90R42	147A8/147B	TL
480/80R46	158A8/158B	TL
520/85R46	158A8/158B	TL
320/90R46	148A8/148B	TL
380/90R46	165A8/165B	TL



2WD Tractor



4WD Tractor



MFWA



R-1W

EARTHPRO 700

Size	PR	Type
300/70R20	120A8/120B	TL
320/70R20	123A8/123B	TL
280/70R20	116A8/116B	TL
320/70R24	116A8/116B	TL
360/70R24	122A8/122B	TL
380/70R24	125A8/125B	TL
420/70R24	130A8/130B	TL
480/70R24	138A8/138B	TL
320/70R28	119A8/119B	TL
360/70R28	125A8/125B	TL
380/70R28	127A8/127B	TL
420/70R28	133A8/133B	TL
480/70R28	140A8/140B	TL
520/70R30	145A8/145B	TL
420/70R30	134A8/134B	TL
480/70R30	141A8/141B	TL
480/70R34	143A8/143B	TL
520/70R34	148A8/148B	TL
480/70R38	145A8/145B	TL
520/70R38	150A8/150B	TL
710/70R38	172A8/172B	TL
580/70R38	155A8/155B	TL
710/70R42	173A8/173B	TL



2WD Tractor



4WD Tractor



MFWA

BIAS

**R-1 AGRI TRAC II**

Size	PR	Type
180/95-14 (7-14)	6	TL
7-16	6PR	TL
	84A6	TL
9.5-16	6PR	TL
	95A6	TL
8-16	6PR	TL
	91A6	TL
9.5-24	6PR	TL
	106A8	TL
11.2-24	6&8	TL
	116A8	TL
13.6-28	6PR	TL
	121A6	TL
12.4-24	8PR	TL
	121A8	TL
16.9-24*	6	
14.9-28	6PR	TL
	125A8	TL
16.9-28	6	TL
16.9-30	6PR	TL
	130A8	TL
18.4-30	8PR	TL
	139A8	TL
18.4-30	16PR	TL
	155A8	TL
16.9-34	8PR	TL
	139A8	TL



2WD Tractor



MFWA

**R-1 EARTH-PRO**

Size	PR	Type
11.2-24	8PR	
	116A8	
12.4-24	8	TL
13.6-24	8	TL
14.9-24	6 & 8	TL
16.9-24	8	TL
14.9-28	8	TL
16.9-28	8PR	
	131A8	
16.9-30	8 & 6*	TL
18.4-30	8	TL
23.1-30	12PR	
	151A8	
24.5-32	12	
	156A8	
18.4-34	8	TL
13.6-38	8	TL
15.5-38	8PR	
	133A8	
16.9-38	8PR	TL
	12PR	
	142A8	
18.4-38	8	TL
20.8-38	8PR	TL
	10	TL
	148A8	
	14	TL
	155A8	



2WD Tractor



MFWA

**R-1 EARTH-PRO 45**

Size	PR	Type
9.5-20	6	TT
11.2-24	8	TT
12.4-24	8	TT
13.6-24	8	TT
14.9-24	8	TT
16.9-24	8	TT
8.3-24	8	TT
9.5-24	8	TT
11.2-28	8	TT
12.4-28	8	TT
13.6-28	8	TT
14.9-28	8	TT
16.9-28	8	TT
16.9-30	8	TT
18.4-30	8 & 12	TT
16.9-34	8	TT
18.4-34	8	TT
12.4-36*	8	TT
15.5-38	8	TT
16.9-38	8	TT
18.4-38	8	TT



2WD Tractor



MFWA

**R-1 SUPER TRACTOR**

Size	PR	Type
9.5-16	6	TL
30.5-32	16	TL



MFWA

**R-1 EARTH-PRO 348**

Size	PR	Type
16.9-30	12	TL



MFWA

*Under development

COMBINE HARVESTER



R-1 COMBINE STAR

Size	PR	Type
30.5L-32	16	TL
30.5-32	18	TL



Combine Harvester



R-3 MIGHTY MOW

Size	PR	Type
27X8.50-15	12	TL



Combine Harvester

IMPLEMENT



F-2 FRONT FARM

Size	PR	Type
5.00-15	6	TT
7.50-16	8	TT
9.00-16	10	TT
10.00-16	8 & 10	TT
11.00-16	10	TT
7.50-18	8	TT
6.00-19	6	TT



2WD Tractor



F-2M FRONT FARM MULTI RIB

Size	PR	Type
11L-15SL	8	TL
9.5L-15SL	8	TL
10.00-16SL	8	TL
11.00-16SL	8	TL
14L-16.1SL	12	TL



2WD Tractor



I-1 RIB IMPLEMENT

Size	PR	Type
11L-14SL	8	
6.70-15SL	6	
7.60-15SL	8	
9.5L-15SL	8	
9.5L-15	12	
11L-15SL	8 & 12	TL
12.5L-15SL	8	
12.5L-15	10, 12 & 14	TL
7.50-16SL	8 & 14	
9.00-16SL	10	
11.00-16SL	12	
14L-16.1SL	14	
	38B	
19L-16.1SL	12	
21.5L-16.1	10 & 14	
21.5L-16.1SL	18	
	156B	



Trailer



Baler



Agricultural Implements



I-1 IMP MASTER 350 FI

Size	PR	Type
9.5L-15	D (8PR)	TL
11L-15	D (8PR)	TL
	F (12PR)	
12.5L-15	D (8PR) & F (12PR)	TL
31x13.50-15	8	TL



Trailer



Baler



Agricultural Implements



I-1

AG IMPLEMENT (STUBBLE PROOF) HWY

Size	PR	Type
20.5x8-10	8	TL
12.5L-16.5	14	TL
32x15.50-16.5SL	14	TL



Trailer



Baler

Agricultural
Implements

R-3

STUBBLE PROOF SEEDER

Size	PR	Type
31x13.50-15	8 & 12	TL



Wagon

Agricultural
Implements

I-2

GALAXY IMPMASTER 200

Size	PR	Type
11L-14	8	TT
7.60-15	8	TL & TT
9.5L-15	8	TL & TT
11L-15	8 & 12	TT
12.5L-15	10	TL & TT
16.5L-16.1*	10* & 14	TL



Trailer

Agricultural
Implements

I-2

GALAXY LO-PRO HI-FLO

Size	PR	Type
400/60-15.5	14	TL
19.0/45-17	14	TL
12.5/80-18	14	TL



Trailer



Tanker



Wagon



GALAXY STUBBLE PROOF HWY FI HWY

Size	PR	Type
20.5X8-10	8	TL
9.5L-15	12	TL
11L-15	12	TL
12.5L-16.5	14	TL
32x15.50-16.5	14	TL



Trailer



Baler

Agricultural
Implements

LAWN, TURF & UTILITY TRACTOR

RADIAL



R-3

GARDEN PRO

Size	PR	Type
220/55R12	82A8/82B	TL
240/60R12	89A8/89B	TL
220/55R14	93A8/93B	
200/60R15	83A8/83B	TL
200/65R16	94A8/94B	
200/70R16	94A8/B	TL
240/70R16	104A8	
260/70R16	109A8/109B	TL
280/70R16	112A8/112B	TL
280/70R18	114A8/114B	TL
320/65R18	109A8/106B	
300/70R20	110A8/110B	TL
320/70R20	113A8/113B	TL
125/90R22	98A8/100A6	TL
380/70R24	125A8/125B	TL
360/70R24	122A8	
420/70R24	130A8/130B	TL
320/85R28	124A8/124B	TL
360/70R28*	125A8/125B	TL
170/100R38	113A8/116A6	TL



2WD Tractor



Utility Tractor



MFWA

DIAGONAL



R-3

MIGHTY MOW

Size	PR	Type
18X8.50-8	4	TL
23X8.50-12SSNHS	4	TL
23X8.50-14	6	TL
27X8.50-15	6 & 12*	TL
27x10.50-15	4	TL
27x14LL-15		
29X12.50-15NHS	4	TL
9.5-16	6	TL
12.4-16	6	TL
21.5L-16.1SL	6	TL
10-16.5	8	TL
12-16.5	4	TL
12-16.5	10	TL
12-16.5	12	TL
33X15.50-16.5	10	TL
14-17.5	6 & 14*	TL
41X14.00-20	4	TL
44X18.00-20NHS	4	TL
17.5L-24	8	TL
19.5L-24	12	TL



2WD Tractor



Utility Tractor



MFWA



Golf-Cart



R-3

MIGHTY MOW-TS

Size	PR	Type
16x6.50-8	4	TL
16X7.50-8 NHS	4	TL
18X8.50-8 NHS	4	TL
18x9.50-8	6	TL
20x10.00-8*	4	TL
18X8.50-10 NHS	4	TL
18x10.50-10	4	TL
20X10.00-10	6	TL
23x8.50-12	6	TL
23x8.5-12*		
23X10.50-12	6	TL
24X12-12NHS	4	TL
26X12-12 NHS	4	TL
26X12.00-12 NHS	8	TL



Mower



Trailer



Golf-Cart

*Under development



R-3

TURF SPECIAL

Size	PR	Type
24X13LL-12	4	TL
25X10.50LL-15	6	TL
27X10.50LL-15	6	TL
27X12LL-15	6	TL
27X14LL-15	6	TL
12LL-16	6	TL
22.5LL-16.1	6	TL
33X16LL-16.1	10	TL
33X18LL-16.1	10	TL
41X18LL-16.1	6	TL
41X18LL-22.5	14, 20	TL



2WD Tractor



Utility Tractor



R-3

AGRI AIR SEED STUBBLE
PROOF

Size	PR	Type
33x15.50-16.5	10	TL



Seeder



Wagon

NOTE

Alliance Tire Europe BV

De Entree 59,
1101 BH,
Amsterdam Zuidoost,
The Netherlands

Tel: +31 (0)20 2184 770
Fax: +31 (0)20 2184 771
e-Mail: info.europe@atgtire.com
Website: www.atgtire.com

Disclaimer: The specifications mentioned in this document are subject to change with no prior intimation or notice.
Please visit www.atgtire.com for updated information and details.